

Alergil Pet

Antihistamínico - Antialérgico

Cetirizina 10 mg



FÓRMULA

Cada comprimido de 500 mg contiene:

Cetirizina.....10,00 mg

Agentes de formulación c.s

DESCRIPCIÓN

Alergil pet es un agente anhistamínico bloqueante de receptores H1. Con efecto directo inhibidor de la producción de histamina en procesos alérgicos. Presentado en comprimidos birranurados que facilitan su dosificación.

INDICACIONES

Indicado como coadyuvante en el tratamiento de patologías pruríticas mediadas por histamina en perros y gatos.

También indicado como adyuvante en el tratamiento de la rinosinusitis crónica no reactiva y dermatopatías eosinofílicas en felinos.

ESPECIES

Caninos y felinos.

ADMINISTRACIÓN

Vía oral.

DOSIFICACIÓN

Caninos:

Para tratamiento en dermatitis alérgica en caninos se recomienda 1 comprimido de 500mg (de 10 mg de cetirizina) cada 10 kg PV cada 24 o 12 hs (el criterio de dosificación queda a cargo del médico veterinario).

Felinos:

Para el tratamiento de rinosinusitis crónica y dermatopatías eosinofílicas en felinos, se recomienda 1/2 comprimido de 500 mg (10 mg de cetirizina) cada 12 hs.

Para tratamiento del prurito se indica se recomienda 1/2 comprimido de 500 mg (10 mg de cetirizina) cada 24 hs.

CONTRAINDICACIONES Y LIMITACIONES DE USO

No utilizar en pacientes que presentan hipersensibilidad al principio activo u otros antihistamínicos de su clase.

El uso concurrente con depresores del S.N.C puede potenciar los efectos depresores sobre el mismo.

Centro Nacional de Intoxicaciones: 0800-333-0160

PRESENTACIÓN

Estuche conteniendo blísteres con 10 o 100 comprimidos de 500 mg.

CONSERVACIÓN

Conservar entre 15 y 30°C al abrigo de la luz.

Alergil Pet

Antihistamine - Antiallergic

Cetirizine 10 mg



FORMULA

Every tablet of 500 mg contains:

Cetirizine.....10,00 mg

Excipients q.s.

DESCRIPTION

ALERGIL PET is an antihistamine agent to inhibit Histamine H1 receptors. It has a direct inhibiting effect on histamine production during allergic processes. It is presented in scored tablets that facilitate its dosage.

INDICATIONS

It seems to be effective to treat histamine-mediated pruritus in dogs and cats.

It also seems to be useful in the treatment of non-reactive chronic rhinosinusitis and eosinophilic skin diseases in cats.

TARGET SPECIES

Dogs and cats.

ADMINISTRATION

Oral route.

DOSAGE

Dogs:

For allergic dermatitis treatment in dogs, one tablet of 500 mg (of 10 mg of cetirizine) is recommended every 10 kg BW every 24 or 12 hours (the dosage judgement depends on the veterinarian's responsibility).

Cats:

For chronic rhinosinusitis and eosinophilic dermatopathies treatments in cats, 1/2 tablet of 500 mg (10 mg of cetirizine) every 12 hours is recommended.

For pruritus treatment, 1/2 tablet of 500 mg (10 mg of cetirizine) is recommended every 24 hours.

CONTRAINDICATIONS AND RESTRICTIONS ON USE

Do not use in patients that are hypersensitive to the active substance or to other antihistamines.

The simultaneous use with depressants of the C.N.S (Central Nervous System) can enhance depressant effects on it.

National Poison Centre: 0800-333-0160

PRESENTATION

Box containing blister packs with 10 and 100 tablets of 500 mg.

STORAGE

Store between 15 - 30°C, sheltered from light.