

## Gotil Spot On

Fipronil 6,7 g



### FORMULA

Fipronil.....6.7 g  
Excipients q.s.....100.0 ml

### INDICATIONS

Gotil is indicated for the treatment and prevention of infestations by ticks, fleas, and lice. It is also an effective complementary treatment for flea allergy dermatitis.

### TARGET SPECIES

Canines

### ROUTE OF ADMINISTRATION

Topical. Spot-on.

**DOSAGE**

Body weight	Pipette volume
Dog 2 to 10 kg	1 ml
Dog 11 to 20 kg	2 ml
Dog 21 to 40 kg	4 ml
Dog 41 to 60 kg	6 ml

**DIRECTIONS FOR USE**

Apply the pipette contents directly onto the skin, on the neck between the base of the skull and the back. Part the hair before application, ensuring the area is dry.

For tick control: apply every 45 days.

For flea control: apply every 60 days.

For lice control: apply every 60 to 90 days.

In all cases, the application interval depends on the degree of reinfestation of the animal and its environment.

When used for flea allergy dermatitis, apply one pipette every 30 days, ensuring all other dogs in the household are treated and environmental control measures are in place.

**PRECAUTIONS**

As with all toxic products, do not store near food or kitchen utensils.

Gotil Spot On does not pose an environmental hazard; used pipettes should be disposed of as regular waste. Avoid releasing the product into watercourses.

**CONTRAINDICATIONS AND RECOMMENDATIONS**

For external use only in dogs.

Do not use in dogs younger than 10 weeks of age or weighing less than 2 kg.

Avoid contact with hands during application.

Wash hands thoroughly with soap and water after use.

Do not smoke or eat during application.

Avoid contact with the treated animal until its coat is dry.

Avoid excessive soaking of the coat.

Do not bathe the animal 48 hours before or after treatment.

## **IIINTOXICATION**

In case of intoxication, contact a physician and induce vomiting. No specific antidote is known. Symptoms of intoxication may include incoordination, agitation, tremors, or sedation.

Store between 5°C and 30°C, in a dry place away from light.

Keep out of reach of children.

**National Poison Control Center:** 0800-333-0160